



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov



Bib Data Sheet

CONFIRMATION NO. 1007

| | | | | |
|-----------------------------|-----------------------------------|--------------|------------------------|--------------------------------------|
| SERIAL NUMBER 10/536,959 | FILING DATE 05/31/2005 RULE | CLASS 165 | GROUP ART UNIT 3753 | ATTORNEY DOCKET NO. 0630-2331PUS1 |
|-----------------------------|-----------------------------------|--------------|------------------------|--------------------------------------|

APPLICANTS

Soo-Yeon Shin, Gimhae, KOREA, REPUBLIC OF;

Seong-Hwan Lee, Changwon, KOREA, REPUBLIC OF;

Min-Chul Cho, Busan, KOREA, REPUBLIC OF; Sung-Hwa Lee, Changwon, KOREA, REPUBLIC OF;

** CONTINUING DATA *OK* *TW*

This application is a 371 of PCT/KR02/02265 12/02/2002

** FOREIGN APPLICATIONS *None* *TW*

| Foreign Priority claimed | <input type="checkbox"/> yes <input checked="" type="checkbox"/> no | STATE OR COUNTRY KOREA, REPUBLIC OF | SHEETS DRAWING 6 | TOTAL CLAIMS 10 | INDEPENDENT CLAIMS 1 |
|---------------------------------|--|--|------------------------|-----------------------|----------------------------|
| 35 USC 119 (a-d) conditions met | <input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance | | | | |

ADDRESS

2292
BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA
22040-0747

TITLE

Heat exchanger of ventilating system

| | | |
|-----------------|---|---|
| FILING FEE | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following: | <input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit |
| RECEIVED 900 | | |